Mobile Endoscopic Inspection Table

## Belflit









## Concept

Belflit supports the entire process of endoscopy, including sedation, from preliminary treatment to endoscopic inspection or treatment to patient transport to recovery.

Belflit allows easy inspection/treatment and transport for medical providers while it enables a less stressful posture for patients during the inspection.

The table offers easy transport from the endoscopic inspection room to the recovery room to each patient's room as it "flits," moving swiftly and lightly.

## Line-up [standard / compact / flat ]

## STANDARD VERSION

EB-BFTN

## **Easy Reclining Operation**

The gas cylinder assists easy operation. Thanks to the anti-skid integrated mattress, raising the backrest allows the patient's buttocks to sink into the mattress, preventing the patient from sliding.





# raising the nk into the

enables a more stable operation.

The standard version allows the operator to raise and recline the backrest manually. The well-balanced base design

## **Beach Chair Position**




Reclining angle can be adjusted freely. The patient can lean back against the raised backrest with legs stretched out.

## **Integrated Mattress**



The backrest and leg rest are integrated into one mattress, ensuring easy cleaning.



## **COMPACT** VERSION

## EB-BFTC

The compact version allows chair positioning





## **Space Saving Design**

Chair positioning ensures space saving operation.



## **Accessible Position**

Bending the leg rest allows smooth access from the side. Additionally, The chair position enables patients to transfer onto and off of the table from a wheelchair.

## **Quick Reclining Operation**

The leg rest operates in conjunction with the backrest while the gas cylinder assists easy operation. Thanks to the anti-skid integrated mattress, raising the backrest allows the patient's buttocks to sink into the mattress, preventing the patient from sliding.





## FLAT VERSION

## **EB-BFTF**

The flat version is designed to work flat and achieve cost effectiveness.



## **Transport Grip**

A handle on the head side allows you to easily transport the table.





## **Ample Space for Legroom**

The table base is designed to ensure ample space for legroom, which enables easy installation of the foot switches for devices such as an electric knife.



## Hand Controller with Two Programmed Switch for Two Settings.

There is a holder at the side of the table for easy storage of the hand controller.

## **Accessible Lifting Function**

In addition to the table lifting switch, two programed switches for two settings are available.





Foot Controller with Two Programmed Switch for Two Settings.

The table can also be operated with an optional foot controller.



## **Rotatable Side Fence** Side Fence for One-**Handed Operation** The rotatable side fences save space during operation. When not in use, they can be The side fences can be operated with one stored inside the edge of the table, which hand. When moved to the use or storage provides easy accessibility during inspection position, they are automatically locked by or when transferring the patient onto or off of releasing the hand. (They cannot be unlocked the table. even when pushed from the inside.)

## **Comfortable Mattress**

Provides soft and comfortable cushioning





A profiled mattress made of specially designed urethane foam with an uneven surface can be selected. (Option)

## Lithium-ion Battery

A small lithium-ion battery with short charging time and long usage time is incorporated. The table moves up and down approximately 100 times on a single charge (when new). The audible alarm and LED indicator notify when the battery is low. This detachable battery

pack allows easy replacement or charging.





## Choice of Layouts to Suit **Your Operations**

Castor Lock Pedal


STANDARD VERSION COMPACT VERSION

FLAT VERSION

In addition to the standard equipment (two), additional installations are available as an option. Mounting positions can be selected from the four locations shown in the figure on the right,







## )ptions (Sold Separately)



STANDARD VERSION

COMPACT VERSION

FLAT VERSION

SIDE FENCE COVER



**FOOT CONTROLLER** 

**PEDAL** 

















\*Charger is not included

### PRESSURE DISPERSION **MATTRESS**

A profiled mattress with pressure dispersion effect can be selected. (Option)







Pressure redistribution test result (In-house test)

Testee: Male (165cm. 67kg)

## STANDARD VERSION

## FLAT VERSION

### TRAY EB-BFT-KM





**OXYGEN CYLINDER** 



\*Oxygen cylinder is not included.

## **IV POLE**

(Bracket is included. Attachable to head side and leg side) EB-BFT-DN

**BRACKET FOR** IV POLE EB-BFT-DN-BK

### DISPOSABLE ROLL SHEETS / HOLDER EB-OPT-R2 EB-BFT-PH



## COMPACT VERSION

TRAY EB-BFTC-KM



**OXYGEN CYLINDER HOLDER** 

(For 500L narrow cylinder) EB-BFTC-BH



\*Oxygen cylinder is not included.

## IV POLE (Bracket 1pc is included.)



BRACKET FOR IV POLE EB-BFT-DN-BK



CENTER EB-BFTC-DC BRACKET FOR IV POLE EB-BFTC-DC-BK



EB-BFTC-DL BRACKET FOR IV POLE EB-BFTC-DL-BK



## Color Selection







ES11 GREEN TEA



ES15 LIGHT GREEN



ES16 PURPLE BLUE

## Antibacterial performance and Alcohol resistance



## Antibacterial performance

Tested in accordance with JIS Z 2801:2010 Antimicrobial products—Test for antimicrobial activity and efficacy (Test bacteria: Staphylococcus aureus and Escherichia coli)



### Alcohol resistance

Tested in accordance with our standard protocol

## Specifications

\*The above colors can be selected for all thee versions.


Version code	EB-BFTN (Standard version)
	EB-BFTC(Compact version)
	EB-BFTF(Flat version)
Tabletop	650mm×1850mm
Table height range	500mm-930mm (Electric motor)
Side fence	Rotatable & retractable
Castor	Switching system of straight lock, 4 wheels lock and 4 wheels unlock

Electrical rating	DC21.6V 130VA
	80kg (Standard version)
Product weight	85kg (Compact version)
	75kg (Flat version)
Standard accessories	Hand controller, Battery pack, Charger


## Dimensions -

unit [mm]


## **EB-BFTN (STANDARD VERSION)**





## **EB-BFTC (COMPACT VERSION)**




## **EB-BFTF (FLAT VERSION)**









## Belflit





